



Wayne County, North Carolina

Board of Commissioners

October 3, 2023
224 E. Walnut Street
Courthouse 4th Floor
Goldsboro, NC 27530

MINUTES

8:00 A.M. AGENDA BRIEFING

During the scheduled briefing and prior to the regularly scheduled meeting, the Board of Commissioners held an advertised briefing session to discuss the items of business on the agenda.

The briefing began at 8:02 a.m. with County Manager Chip Crumpler reviewing the agenda.

Finance Director Angie Boswell reviewed the budget amendments.

Members Present: Chairwoman Barbara Aycock; Vice-Chairman Chris Gurley; Commissioner George Wayne Aycock, Jr.; Commissioner Joe C. Daughtery; Commissioner Freeman Hardison, Jr.

Members Absent: Commissioner Bevan Foster (Joined the meeting at 8:58 a.m. during Closed Session); Commissioner Antonio Williams.

CALL TO ORDER - Chairwoman Barbara Aycock

The Wayne County Board of Commissioners met on Tuesday, October 3, 2023, at 9:12 a.m. in the Commissioners Meeting Room in the Wayne County Courthouse Annex, Goldsboro, North Carolina, after due notice thereof had been given.

Members present: Chairwoman Barbara Aycock, Vice-Chairman Chris Gurley, Commissioner George Wayne Aycock, Jr., Commissioner Joe C. Daughtery, Commissioner Bevan Foster, Commissioner Freeman Hardison, Jr.

Members absent: Commissioner Antonio Williams

INVOCATION - Commissioner Joe C. Daughtery

Commissioner Joe C. Daughtery gave the invocation.

PLEDGE OF ALLEGIANCE - Chairwoman Barbara Aycock

Chairwoman Barbara Aycock led the Board of Commissioners in the Pledge of Allegiance to the Flag of the United States of America.

APPROVAL OF MINUTES

1. Motion to Approve the September 19, 2023 Minutes.

Upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously approved the September 19, 2023 Minutes.

DISCUSSION/ADJUSTMENT OF AGENDA

2. Motion to Approve the October 3, 2023 Adjusted Agenda.

Upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously approved the October 3, 2023 Adjusted Agenda.

SPECIAL PRESENTATIONS

3. Update and Show of Appreciation on Rosewood Middle School Project by Wayne County Public Schools Superintendent Dr. Marc Whichard and Board of Education Chairman Wade Leatham.

Wayne County Public Schools Superintendent Dr. Marc Whichard spoke to the Board about the Rosewood Middle School new building project and the recent Board of Education meeting attended by three commissioners. He thanked those who attended and praised the work of the two boards to keep the cost of construction, in the midst of severe inflation, at \$27 million. Board of Education Chairman Wade Leatham spoke of the legislators representing Wayne County and how fortunate the county and boards had them as representatives. He spoke of the Rosewood Middle School project, the security aspect with the entire school being enclosed, and a shell building for additional growth. Mr. Leatham said the current school serves approximately 325 students while the new school will accommodate 650 students, not counting the expansion capability of the shell building.

Dr. Whichard stated the Construction Manager At Risk (CMAR) approach was being used and expedited to stop inflation from increasing construction costs.

Chairwoman Barbara Aycock thanked Dr. Whichard and Mr. Leatham for presenting a certificate of appreciation to the board at the Board of Education meeting she attended.

Commissioner Joe C. Daughtery stated the working group for Rosewood Middle School was a positive move for the Board of Education and the County.

4. Motion to Approve 2023 Breast Cancer Awareness Proclamation.

Commissioner George Wayne Aycock, Jr., read the 2023 Breast Cancer Awareness Proclamation, attached hereto as Attachment A.

Upon motion of Commissioner George Wayne Aycock, Jr., the Board of Commissioners unanimously approved the 2023 Breast Cancer Awareness Proclamation.

5. Motion to Approve the 2023 Industry Appreciation Month Proclamation.

Existing Industry Director Julie Graham read the 2023 Industry Appreciation Month Proclamation, attached hereto as Attachment B.

Upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously approved the 2023 Industry Appreciation Month Proclamation.

6. Motion to Approve the 2023 Fire Prevention Month Proclamation.

Fire Marshall Bryan Taylor shared information about Fire Prevention Week.

Mr. Bruce Kearney read the 2023 Fire Prevention proclamation, attached hereto as Attachment C.

Upon motion of Vice-Chairman Chris Gurley, the Board of Commissioners unanimously approved the 2023 Fire Prevention Month Proclamation.

7. Motion to approve 2023 Dyslexia Awareness Proclamation.

Assistant Library Director Maegen Wilson introduced Elijah, a student who was diagnosed with dyslexia, and shared a presentation with the Board of Commissioners, attached hereto as Attachment D. Ms. Wilson then read the 2023 Dyslexia Awareness proclamation, attached hereto as Attachment E.

Upon motion of Commissioner Freeman Hardison, Jr., the Board of Commissioners unanimously approved the 2023 Dyslexia Awareness Proclamation.

AT 9:51 A.M. CHAIRWOMAN BARBARA AYCOCK LEFT THE MEETING.

8. Introduction of new Department Managers by County Manager Chip Crumpler.

County Manager Chip Crumpler announced Ms. Angie Boswell as the new Finance Director, Mr. Jason Baker as the new Director of Inspections, and Gary Tillman as the new Emergency Management Coordinator.

9. Presentation on GREAT Grant Project by Aaron Penny of Lumos.

Mr. Aaron Penny, Director of Market Development for Lumos Fiber, spoke of the G.R.E.A.T. grant received by his company to provide internet to the underserved. He stated the grant, along with ARPA funds from Wayne County, would allow them to provide services to more homes and businesses than originally planned. Mr. Penny said they will reach thousands of homes around the county and some who meet a certain criteria will receive the service at no cost.

AT 10:01 A.M., CHAIRWOMAN BARBARA AYCOCK RETURNED TO THE MEETING.

APPOINTMENT COMMITTEE

Upon motion of Commissioner Freeman Hardison, Jr., the Board of Commissioners unanimously approved the reappointment of Ms. Cheryl Dobson to the Wayne County Library Advisory Board.

Upon motion of Commissioner Freeman Hardison, Jr., the Board of Commissioners unanimously approved the appointment of Brian Corbett to the Wayne County Planning Board.

CONSENT AGENDA

Upon motion of Commissioner Freeman Hardison, Jr., the Board of Commissioners unanimously approved the Consent Agenda detailed below.

10. Budget Amendments

The following Budget Amendments were approved:

* #99-Library/#100-Sheriff's Office/#106, 107, 108-Sheriff's Office/#113-COSAP(Opioid Program)/#132-WCC

11. Late Elderly/Disabled Exemption Application

12. Late Disabled Veterans Exemption Applications

13. Late Present Use Value Applications

14. Motion to Adopt Resolution #2023-26: A Resolution Authorizing Wetzel Pyrotechnics and The Bridge Church to use pyrotechnics at The Bridge Church, 188 Whitley Church Road, Princeton, NC, on October 31, 2023.

Attached hereto as Attachment F.

NEW BUSINESS

15. Motion for Approval to Purchase Labrie Wittke Starlight Front Loader Garbage Truck

Upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously approved the Purchase of the Labrie Wittke Starlight Front Loader Garbage Truck, attached hereto as Attachment G.

16. Motion to Approve Agreement for Airport Safety/Maintenance Projects.

Upon motion of Vice-Chairman Chris Gurley, the Board of Commissioners unanimously approved the Agreement for Airport Safety/Maintenance Projects, attached hereto as Attachment H.

PUBLIC COMMENTS

No one signed up for or presented themselves for public comments.

COUNTY MANAGER'S REPORT

County Manager Chip Crumpler recommended the Board of Commissioners visit the DHHS and Jail building projects. He also stated the County was getting closer to hiring a Health Director.

BOARD OF COMMISSIONERS COMMITTEE REPORTS

Commissioner Joe C. Daughtery expressed his appreciation for the NC delegation providing funding for the Rosewood Middle School project, and commended the

working group and design of the facility.

Commissioner Freeman Hardison, Jr., discussed the foresight for future growth with Rosewood Middle School's new building.

Vice-Chairman Chris Gurley discussed decisions and how everyone needs to be cautious with decisions. He referenced the current Board of Commissioners having to deal with something from a previous Board of Commissioners.

Commissioner George Wayne Aycock, Jr., apologized to the enlisted men and women of Seymour Johnson Air Force Base (SJAFFB) for showing his frustration towards SJAFFB in comments made at a previous meeting. He talked of visiting the Farmers' Market and discussing extending the hours. Commissioner Aycock said he also visited the curb market at the Maxwell Center, and discussed the proposed new Rosewood Fire Station and the option of the County purchasing the current station or leasing space in the new one for EMS.

Commissioner Freeman Hardison, Jr., stated Wayne County Public Schools received poor grades from the State of North Carolina, but Grantham Elementary received good grades. He also shared comments made by Goldsboro City Councilman Charles Gaylor and praised him for his comments.

Commissioner Bevan Foster discussed his concerns over things in the finance department, specifically departments making money or not, and said the Board of Commissioners should meet and look at finances now that the finance director left and a new director is in place. He recommended an audit by the Board of Commissioners and said the County does not need to "be like the city", referencing the City of Goldsboro.

Chairwoman Barbara Aycock had no comments.

CLOSED SESSION

At 8:10 a.m., upon motion of Vice-Chairman Chris Gurley the Board of Commissioners unanimously declared itself in closed session to discuss business in Wayne County, and to consult with an attorney employed or retained by the public body in order to preserve the attorney-client privilege between the attorney and the public body, which privilege is hereby acknowledged.


At 9:02 a.m., upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously declared itself in regular session.

At 10:27 a.m., upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously declared itself in closed session to discuss business in Wayne County, and to consult with an attorney employed or retained by the public body in order to preserve the attorney-client privilege between the attorney and the public body, which privilege is hereby acknowledged.

At 11:34 a.m., upon motion of Commissioner Joe C. Daughtery, the Board of Commissioners unanimously declared itself in regular session.

ADJOURNMENT

At 11:35 a.m., Chairwoman Barbara Aycok adjourned the meeting of the Wayne County Board of Commissioners.



Carol Bowden, Clerk to the Board

NORTH CAROLINA

WAYNE COUNTY

2023 BREAST CANCER AWARENESS PROCLAMATION

WHEREAS, breast cancer touches every corner of the United States and hundreds of thousands of Americans will be diagnosed with breast cancer and tens of thousands will die from it; and

WHEREAS, about 1 in 8 women born today in the United States will get breast cancer at some point in their lifetime and approximately 2,700 men are diagnosed with breast cancer each year; and

WHEREAS, we show our support for every individual and every family struggling with breast cancer and we pause to remember those we have lost; and

WHEREAS, Breast Cancer Awareness Month in October is a chance to raise awareness about the importance of early detection of breast cancer by getting a mammogram and encouraging our community, organizations, churches, families, and individuals to get involved; and

WHEREAS, we salute the women and men who dedicate themselves to prevention, detection, and treatment as we observe Breast Cancer Awareness Month.

NOW, THEREFORE BE IT RESOLVED that the Wayne County Board of Commissioners hereby proclaims October 2023 as

BREAST CANCER AWARENESS MONTH IN WAYNE COUNTY

and encourages all citizens to join in activities that will increase awareness of what we can do to prevent breast cancer.

Adopted this the 3rd day of October, 2023.



Barbara Aycock, Chairwoman
Wayne County Board of Commissioners

Attest:



Carol Bowden
Clerk to the Board



NORTH CAROLINA

WAYNE COUNTY

2023 INDUSTRY APPRECIATION MONTH

WHEREAS, the Wayne County Board of Commissioners supports the endeavors of industry in Wayne County; and

WHEREAS, the Wayne County Development Alliance, Inc. hosts an industry celebration each year to thank the more than 75 major manufacturers, distributors, wholesalers, machine shops and other businesses in the county; and

WHEREAS, events planned to celebrate these industries include a Regional Forklift Rodeo at Wayne Community College, Golf tournament at Walnut Creek Country Club, an awards ceremony to name 'Industry of the Year'; and

WHEREAS, representatives from local businesses and industries, and guests who will include officials from the Economic Development allies, local and state elected officials, and community leaders will attend these events; and

WHEREAS, October is recognized as manufacturing month, this is an annual tradition, giving the community a chance to pause and thank our local industries for all they do for Wayne County.

NOW, THEREFORE, BE IT RESOLVED that the Wayne County Board of Commissioners does hereby proclaim the month of October, 2023 as

INDUSTRY APPRECIATION MONTH

in Wayne County.

Adopted this the 3rd day of October, 2023.



Barbara Aycock, Chairwoman
Wayne County Board of Commissioners

Attest:



Carol Bowden
Clerk to the Board



**WAYNE COUNTY
NORTH CAROLINA**

2023 FIRE PREVENTION MONTH PROCLAMATION

WHEREAS, the County of Wayne, is committed to ensuring the safety and security of all those living in and visiting Wayne County; and

WHEREAS, fire is a serious public safety concern both locally and nationally, and homes are the locations where people are at greatest risk from fire; and

WHEREAS, home fires killed more than 2,800 people in the United States in 2022, according to the National Fire Protection Association® (NFPA®), and fire departments in the United States responded to 338,000 home fires; and

WHEREAS, cooking is the leading cause of home fires in the United States and fire departments responded to more than 166,400 annually between 2016 and 2020; and

WHEREAS, two of every five home fires start in the kitchen with 31% of these fires resulting from unattended cooking; and

WHEREAS, more than half of reported, non-fatal, home cooking fire injuries occurred when the victims tried to fight the fire themselves; and

WHEREAS, children under five face a higher risk of non-fire burns associated with cooking than being burned in a cooking fire; and

WHEREAS, Wayne County residents should turn pot handles toward the back of the stove; always keep a lid nearby when cooking; keep a three-foot kid-free zone around the stove, oven, and other things that could get hot; watch what they heat; and set a timer to remind them that they are cooking; and

WHEREAS, residents who have planned and practiced a home fire escape plan are more prepared and will therefore be more likely to survive a fire; and


WHEREAS, working smoke alarms cut the risk of dying in reported home fire almost in half; and

WHEREAS, Wayne County first responders are dedicated to reducing the occurrence of home fires and home fire injuries through prevention and protection education; and

WHEREAS, Wayne County residents are responsive to public education measures and are able to take personal steps to increase their safety from fire, especially in their homes; and

WHEREAS, the 2023 Fire Prevention Week theme, "Cooking safety starts with YOU. Pay attention to fire prevention," effectively serves to remind us to stay alert and use caution when cooking to reduce the risk of kitchen fires.

NOW THEREFORE, the Wayne County Board of Commissioners does hereby proclaim the month of **October 2023, as Fire Prevention Month** throughout this County, and urges all the people of Wayne County to check their kitchens for fire hazards and use safe cooking practices during Fire Prevention Week 2023, and to support the many public safety activities and efforts of Wayne County Fire and Emergency Services.


Barbara Aycock, Chairwoman
Wayne County Board of Commissioners

ATTEST:




Carol Bowden, Clerk to the Board



Dyslexia and Learning Difference Support Wayne County Public Library

Learning Studio




Maegen Wilson | Maegen.Wilson@waynegov.com | 919.580.4014

Background

About the project

- This project is a part of READ Wayne's goal to ensure that all children have the supports they need to become proficient readers by the end of 3rd grade
- Funded through a LSTA grant from the State Library of North Carolina
- Partnership with Wayne County Public Schools
- Targets children who have diagnosed or undiagnosed SLDs and their co-morbidities (up to 20% of population¹ estimated at 11,000 children in Wayne County):
 - Dyslexia (primary focus)
 - Dyscalculia
 - Dyspraxia
 - Dysgraphia
 - ADHD
 - Oral/Written Language Disorder
 - Specific Reading Comprehension Deficit
 - Non-Verbal Learning Disabilities
 - Executive Functioning
 - Processing Delays

¹ <http://dyslexia.yale.edu/>



Mission

To provide a multi-prong approach for supporting children with learning differences, namely dyslexia, and their families.


Vision

To have a community that identifies learning differences and intervenes before children learn to fail.

Goals

- Increased community understanding of dyslexia and other SLDs
- Increase knowledge of strategies to aid child
- Increased understanding of the IEP system in school
- Increased engagement of parents with their child's learning
- Increased child engagement in school and less absences
- Decreased frustration with school assignments
- Create a community environment to increase confidence in children with SLDs
- Increased test scores for children using the program

Learning
Studio



Action Steps:

- Host monthly workshops for parents, community, Gen. Ed teachers, and other professionals
 - Highlight research and/or evidence based ways to for both parents and gen. ed. teachers to approach teaching children with SLDs
 - Pinpoint early signs of dyslexia and diagnosis process
 - Provide sessions that highlight co-morbidities
 - WCPS workshops on navigating the IEP process

Related Outcomes:

- Increase knowledge of strategies, curriculums, and accommodations to aid child
- Increased understanding of the IEP system in school
- Increased engagement of parents with their child's learning
- Easier access to clinicians for diagnosis
- Increased confidence in children with SLDs
- Separation of disability and IQ; and dyslexia and vision
- Decreased frustration with school assignments
- Increased test scores for children using the program



Learning Studio Programming Fall 2023

9.16.23 10:00 am
Learning Differences: Signs & Simulations

9.30.23 10:00 am
Dyslexia Deep Dive

10.28.23 10:00 am
ADHD: What it is & What it isn't


11.4.23 10:00 am
Executive Function Strategies: Pt. 1

11.18.23 10:00 am
Executive Function Strategies: Pt. 2

2001 East Ash Street | Veterans Services Building
Call 919.735.1824 x. 5105 to register

This project/program/service is made possible by funding from the Federal Institute of Museum and Library Services (IMLS) under the provisions of the Library Services and Technology Act (LSTA) as administered by the State Library of North Carolina, a division of the N.C. Department of Natural and Cultural Resources (IMLS grant number LS-253645-01S-21).






Action Steps:

- Launch a resource lending collection at the Goldsboro Library that recognizes that a “one-size fits all” solution will not work.
 - Curriculums that mirror what the EC department uses
 - Decodable readers
 - High interest, low level readers
 - Manipulatives
 - Sensory tools
 - Flashcards and games
 - Workbooks
 - Adaptive/Assistive Technology (such as smart pens)

Related Outcomes:

- Increase access to adaptive equipment and other supports
- Increase knowledge of strategies to aid child
- Increased engagement of parents with their child’s learning
- Increased confidence in children with SLDs
- Decreased frustration with school assignments
- Increased test scores for children using the program

Learning
Studio





Action Steps:

- Create an online resource page referring people to accurate and authoritative information
 - Highlight reliable curriculums and interventions
 - Highlight local resources
 - Provide definitions for several SLDs
 - Provide referrals to up-to-date research

Related Outcomes:

- Increase access to reliable information and resources
- Increased engagement of parents with their child's learning
- Increased community understanding of dyslexia and other SLDs
- Increase knowledge of strategies to aid child
- Increased understanding of the IEP system in school





Action Steps:

- Free tutoring during the summer
 - Will work with schools and clinicians to identify students
 - Focus on literacy skills
 - Qualified teachers and/or teaching students
 - One-on-one

Related Outcomes:

- Decrease in skills gap
- Increased engagement of parents with their child's learning
- Increased confidence in children with SLDs
- Increased test scores for children using the program



NORTH CAROLINA

WAYNE COUNTY

2023 DYSLLEXIA AWARENESS MONTH

WHEREAS, dyslexia is a language-based learning disability, that affects approximately one in five people, regardless of race, gender, age, or socioeconomic status; and

WHEREAS, neurological in origin, dyslexia affects the way the brain processes information, and is characterized by difficulties with reading, writing, and spelling despite normal intelligence; and

WHEREAS, those with dyslexia benefit greatly from specialized assistance from highly trained teachers, multi-sensory learning programs, and individualized instruction; and

WHEREAS, early identification, alternative instruction, and extra support from friends, family, teachers, and libraries can contribute to the success dyslexic students enjoy in the classroom and later in employment; and

NOW, THEREFORE BE IT RESOLVED that the Wayne County Board of Commissioners does hereby proclaim October 2023, as "DYSLLEXIA AWARENESS MONTH" in Wayne County, and commends its observance to all citizens.

Adopted this the 3rd day of October, 2023.




Barbara Aycock, Chairwoman

Wayne County Board of Commissioners

Attest:



Carol Bowden

Clerk to the Board

NORTH CAROLINA

WAYNE COUNTY

RESOLUTION #2023-26 GRANTING WETZEL PYROTECHNICS AND THE BRIDGE CHURCH PERMISSION TO USE PYROTECHNICS FOR THE BRIDGE CHURCH ON OCTOBER 31, 2023

WHEREAS, the Board of Commissioners of Wayne County has received a request from Wetzel Pyrotechnics and The Bridge Church for permission for pyrotechnics to be exhibited, used, and discharged in a safe and proper manner under the supervision of experts for a fireworks celebration on October 31, 2023, in the Town of Princeton, North Carolina, as provided by North Carolina General Statute 14-410; and


WHEREAS, it is the intention of Wetzel Pyrotechnics and The Bridge Church to use said display in a public celebration; and

WHEREAS, it appears to the Wayne County Board of Commissioners that a permit to use pyrotechnics should be given for such celebration as provided by North Carolina General Statutes 14-410 and 14-413; and

WHEREAS, the Wayne County Inspections Department has approved the fireworks display and show plan for Wetzel Pyrotechnics and The Bridge Church located at the Town of Princeton, North Carolina on October 31, 2023.

NOW, THEREFORE, BE IT RESOLVED by the Wayne County Board of Commissioners that Wetzel Pyrotechnics and The Bridge Church are hereby given permission to use pyrotechnics under the supervision of an expert at their public celebration to be held on October 31, 2023, contingent upon the individual or entity who will use, handle or discharge the pyrotechnics providing to the Clerk to the Wayne County Board of Commissioners a Certificate of Registration, which will be effective on October 31, 2023, proof of insurance as required by statute and the proper permits through the County of Wayne.

This the 3rd day of October, 2023.



Barbara Aycock, Chairwoman
Wayne County Board of Commissioners

Attest:



Carol Bowden
Clerk to the Board



Carol Bowden

From: Katie Johnson
Sent: Wednesday, September 20, 2023 3:19 PM
To: Carol Bowden; 'Kevin Wetzel'; wetzelpyroadmin@icloud.com; Dennis Lewis; Julie Holmes
Subject: RE: Bridge Church October 31st Pyrotechnics Permit Request

Good afternoon,

Jason has just told me that the plans have been approved.

Thank you.

Katie Chegwiddden
Administrative Assistant I
Wayne County Inspections
919-731-1169

Please refrain from sending permits, inspection requests, or any items that need immediate attention via email unless you have spoken with me that day to ensure your needs are met in a timely manner.

From: Carol Bowden <Carol.Bowden@waynegov.com>
Sent: Wednesday, September 20, 2023 8:51 AM
To: Katie Johnson <katie.johnson@waynegov.com>; 'Kevin Wetzel' <wetzelpyro@icloud.com>; wetzelpyroadmin@icloud.com; Dennis Lewis <dk1127@yahoo.com>; Julie Holmes <julieholmes04@gmail.com>
Subject: RE: Bridge Church October 31st Pyrotechnics Permit Request

Thank you Katie. Please let me know the department's decision at your earliest convenience.

Carol Bowden, NCECC, CMC
Clerk to the Board
carol.bowden@waynegov.com
919-731-1445
P.O. Box 227
Goldsboro, NC 27530

From: Katie Johnson <katie.johnson@waynegov.com>
Sent: Friday, September 15, 2023 10:38 AM
To: 'Kevin Wetzel' <wetzelpyro@icloud.com>; Carol Bowden <Carol.Bowden@waynegov.com>; wetzelpyroadmin@icloud.com; Dennis Lewis <dk1127@yahoo.com>; Julie Holmes <julieholmes04@gmail.com>
Subject: RE: Bridge Church October 31st Pyrotechnics Permit Request

These have been submitted for review.

Katie Chegwiddden
Administrative Assistant I

Wayne County Inspections

919-731-1169

Please refrain from sending permits, inspection requests, or any items that need immediate attention via email unless you have spoken with me that day to ensure your needs are met in a timely manner.

From: Kevin Wetzel <wetzelpyro@icloud.com>

Sent: Thursday, September 14, 2023 3:23 PM

To: Katie Johnson <katie.johnson@waynegov.com>; Carol Bowden <Carol.Bowden@waynegov.com>; wetzelpyroadmin@icloud.com; Dennis Lewis <dk1127@yahoo.com>; Julie Holmes <julieholmes04@gmail.com>

Subject: Bridge Church October 31st Pyrotechnics Permit Request

Please find the permit request package for Bridge Church for the event 31 October 2023. Please let me know if there are any issues and or questions.

Kevin Wetzel

Wetzel Pyrotechnics

919-441-7353

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

9/14/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Ryder Rosacker McCue & Huston (MGD by Hull & Company)
509 W Koenig St
Grand Island NE 68801

CONTACT NAME: Kristy Wolfe
PHONE (A/C, No, Ext): 308-382-2330 **FAX (A/C, No):** 308-382-7109
E-MAIL ADDRESS: Kwolfe@ryderinsurance.com

INSURER(S) AFFORDING COVERAGE**NAIC #****INSURER A:** SCOTTSDALE INS CO **41297****INSURER B:****INSURER C:****INSURER D:****INSURER E:****INSURER F:**

INSURED
Kevin Wetzel
Wetzel Pyrotechnics
125 Eagleton Circle
Moyock NC 27958

COVERAGES**CERTIFICATE NUMBER:** 89835195**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY		CPS4020777	12/31/2022	12/31/2023	EACH OCCURRENCE \$ 1,000,000
	☒ COMMERCIAL GENERAL LIABILITY					DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000
	CLAIMS-MADE ☒ OCCUR					MED EXP (Any one person) \$ 5,000
						PERSONAL & ADV INJURY \$ 1,000,000
						GENERAL AGGREGATE \$ 2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:					PRODUCTS - COMP/OP AGG \$ 2,000,000
	☒ POLICY ☐ PROJECT ☐ LOC					\$
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT (Ea accident) \$
	ANY AUTO					BODILY INJURY (Per person) \$
	ALL OWNED AUTOS	SCHEDULED AUTOS				BODILY INJURY (Per accident) \$
	HIRED AUTOS	NON-OWNED AUTOS				PROPERTY DAMAGE (Per accident) \$
						\$
	UMBRELLA LIAB	OCCUR				EACH OCCURRENCE \$
	EXCESS LIAB	CLAIMS-MADE				AGGREGATE \$
	DED	RETENTION \$				\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	Y / N				WC STATUS: OTH- TORY LIMITS ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	☐ N / A				E.L. EACH ACCIDENT \$
	If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - EA EMPLOYEE \$
						E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Regarding the General Liability coverage, Waiver of Subrogation applies to the entities listed below per attached form CG 24 04 when required by written agreement.

Regarding the General Liability coverage, Blanket Additional Insured applies to the entities listed below per attached form GLS-150s when required by written agreement.

Wayne County

CERTIFICATE HOLDER**CANCELLATION**

The Bridge Church
195 Whitley Rd
Princeton NC 27569

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

[Signature]

POLICY NUMBER:

COMMERCIAL GENERAL LIABILITY

CG 24 04 05 09

WAIVER OF TRANSFER OF RIGHTS OF RECOVERY AGAINST OTHERS TO US

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

PRODUCTS/COMPLETED OPERATIONS LIABILITY COVERAGE PART

SCHEDULE

Name Of Person Or Organization:

Any person or organization with whom the insured has agreed to waive rights of recovery, provided such agreement is made in writing and prior to the loss.

Additional Premium is Included

Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

The following is added to Paragraph 8. **Transfer Of Rights Of Recovery Against Others To Us** of Section IV - Conditions:

We waive any right of recovery we may have against the person or organization shown in the Schedule above because of payments we make for injury or damage arising out of your ongoing operations or "your work" done under a contract with that person or organization and included in the "products-completed operations hazard". This waiver applies only to the person or organization shown in the Schedule above.



SCOTTSDALE INSURANCE COMPANY®

ENDORSEMENT
NO. _____

ATTACHED TO AND FORMING A PART OF POLICY NUMBER	ENDORSEMENT EFFECTIVE DATE (12:01 A.M. STANDARD TIME)	NAMED INSURED	AGENT NO.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

BLANKET ADDITIONAL INSURED ENDORSEMENT

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

With respect to this endorsement, **SECTION II—WHO IS AN INSURED** is amended to include as an additional insured any person or organization whom you are required to add as an additional insured on this policy under a written contract, written agreement or written permit which must be:

- a. Currently in effect or becoming effective during the term of the policy; and
- b. Executed prior to the "bodily injury," "property damage," or "personal and advertising injury."

The insurance provided to these additional insureds is limited as follows:

1. That person or organization is an additional insured only with respect to liability for "bodily injury," "property damage" or "personal and advertising injury" caused, in whole or in part, by:
 - a. Your acts or omissions; or
 - b. The acts or omissions of those acting on your behalf.

A person's or organization's status as an additional insured under this endorsement ends when your operations for that additional insured are completed.

2. With respect to the insurance afforded to these additional insureds, the following exclusions are added to item **2. Exclusions** of **SECTION I—COVERAGES**:

This insurance does not apply to "bodily injury," "property damage" or "personal and advertising injury" occurring after:

- a. All work, including materials, parts or equipment furnished in connection with such work, on the project (other than service, maintenance or repairs) to be performed by or on behalf of the additional insured(s) at the location of the covered operations has been completed; or
 - b. That portion of "your work" out of which the injury or damage arises has been put to its intended use by any person or organization other than another contractor or subcontractor engaged in performing operations for a principal as a part of the same project.
3. The limits of insurance applicable to the additional insured are those specified in the written contract, written agreement or written permit or in the Declarations for this policy, whichever is less. These limits of insurance are inclusive of, and not in addition to, the Limits of Insurance shown in the Declarations for this policy.
 4. Coverage is not provided for "bodily injury," "property damage," or "personal and advertising injury" arising out of the sole negligence of the additional insured.
 5. The insurance provided to the additional insured does not apply to "bodily injury," "property damage," or "personal and advertising injury" arising out of an architect's, engineer's or surveyor's rendering of or failure to render any professional services including:

- a. The preparing, approving or failing to prepare or approve maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; and
 - b. Supervisory, inspection, architectural or engineering activities.
6. Any coverage provided hereunder will be excess over any other valid and collectible insurance available to the additional insured whether primary, excess, contingent or on any other basis unless a


written contract specifically requires that this insurance be primary.

When this insurance is excess, we will have no duty under **SECTION I—COVERAGES** to defend the additional insured against any "suit" if any other insurer has a duty to defend the additional insured against that "suit." If no other insurer defends, we will undertake to do so, but we will be entitled to the additional insured's rights against all those other insurers.

AUTHORIZED REPRESENTATIVE

DATE


Includes copyrighted material of ISO Properties, Inc., with its permission.
Copyright, ISO Properties, Inc., 2004






150 FT. RADIUS

NORTH
↓

188 WHITLEY CHURCH RD
PRINCETON, NC 27569
Whitley Church Rd







Holder's Full Name: Jamie Lancaster
Business Name: Hale Artificier, Inc.
Government ID By: North Carolina
Government ID Type: Driver License
ID Number: *****9761



License Number: 4020
License Type: 1.3G Pyrotechnic
License Level: Operator
License Status: Valid
Expiration Date: 06/17/2025

Holder's Full Name: Jamie Lancaster
Business Name: Hale Artificier, Inc.
Government ID By: North Carolina
Government ID Type: Driver License
ID Number: *****9761




License Number: 4020
License Type: 1.3G Pyrotechnic
License Level: Operator
License Status: Valid
Expiration Date: 06/17/2025

**Outdoor Pyrotechnics
Display**

**OPERATORS
LICENSE**

**J
U
L**



**2
0
2
4**

**Phillip McDaniel
License # 3670**

In accordance with the provisions of Title XI, Organized Crime Control Act of 1970, and the regulations issued thereunder (27 CFR Part 555), you may engage in the activity specified in this license or permit within the limitations of Chapter 40, Title 18, United States Code and the regulations issued thereunder, until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 555.53.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF Correspondence To	ATF - Chief, FELC 244 Needy Road Martinsburg, WV 25405-9431	License/Permit Number	1-NC-053-50-5E-01022
Chief, Federal Explosives Licensing Center (FELC)		Expiration Date	May 1, 2025

Name
KEVIN EUGENE WETZEL

Premises Address (Changes? Notify the FELC at least 10 days before the move.)	(18 U.S.C. Chapter 40)
125 EAGLETON CIR MOYOCK, NC 27958-	

Type of License or Permit	
50-MANUFACTURER OF EXPLOSIVES	

Purchasing Certification Statement	Mailing Address (Changes? Notify the FELC of any changes.)
The licensee or permittee named above shall use a copy of this license or permit to assist a transferor of explosives to verify the identity and the licensed status of the licensee or permittee as provided by 27 CFR Part 555. The signature on each copy must be an original signature. A faxed, scanned or e-mailed copy of the license or permit with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Explosives Licensee (FEL) or a responsible person of the FEL. I certify that this is a true copy of a license or permit issued to the licensee or permittee named above to engage in the business or operations specified above under "Type of License or Permit."	KEVIN EUGENE WETZEL 125 EAGLETON CIR MOYOCK, NC 27958-

Licensee/Permittee Responsible Person Signature	Position/Title
<i>[Signature]</i>	

Printed Name	Date	ATF Form 5400.14/5400.15 Part I Revised September 2011
KEVIN EUGENE WETZEL		

Previous Edition is Obsolete KEVIN EUGENE WETZEL-125 EAGLETON CIR-27958-1-NC-053-50-5E-01022-May 1, 2025-50-MANUFACTURER OF EXPLOSIVES

Federal Explosives License (FEL) Customer Service Information

Federal Explosives Licensing Center (FELC) 244 Needy Road Martinsburg, WV 25405-9431	Toll-free Telephone Number: (877) 283-3352 Fax Number: (304) 616-4401 E-mail: FELC@atf.gov	ATF Homepage: www.atf.gov
--	--	--

Change of Address (27 CFR 555.54(a)(1)). Licensees or permittees may during the term of their current license or permit remove their business or operations to a new location at which they intend regularly to carry on such business or operations. The licensee or permittee is required to give notification of the new location of the business or operations not less than 10 days prior to such removal with the Chief, Federal Explosives Licensing Center. The license or permit will be valid for the remainder of the term of the original license or permit. (The Chief, FELC, shall, if the licensee or permittee is not qualified, refer the request for amended license or permit to the Director of Industry Operations for denial in accordance with § 555.54.)

Right of Succession (27 CFR 555.59). (a) Certain persons other than the licensee or permittee may secure the right to carry on the same explosive materials business or operations at the same address shown on, and for the remainder of the term of, a current license or permit. Such persons are: (1) The surviving spouse or child, or executor, administrator, or other legal representative of a deceased licensee or permittee; and (2) A receiver or trustee in bankruptcy, or an assignee for benefit of creditors. (b) In order to secure the right provided by this section, the person or persons continuing the business or operations shall furnish the license or permit for for that business or operations for endorsement of such succession to the Chief, FELC, within 30 days from the date on which the successor begins to carry on the business or operations.

(Continued on reverse side)

Cut Here ✂

Federal Explosives License/Permit (FEL) Information Card	
License/Permit Name: KEVIN EUGENE WETZEL	
Business Name:	
License/Permit Number: 1-NC-053-50-5E-01022	
License/Permit Type: 50-MANUFACTURER OF EXPLOSIVES	
Expiration:	May 1, 2025
Please Note: Not Valid for the Sale or Other Disposition of Explosives.	

**Kevin Wetzel
Wetzel Pyrotechnics**

Safety Procedures for Fireworks Displays

NFPA 1123 Codes are to be followed at all times.

1. Firing Procedure:

- A. Operators are to use the Pre-display checklist provided in the display paperwork. AT NO TIME are the materials to be left unattended.
- B. Upon arrival at the site, check site conditions for any hazards that may impede the safety of the display operation.
- C. Verify the site meets all distance requirements of NFPA1123 at a minimum. Add additional buffer to account for conditions.
- D. Confirm that there is adequate ingress and egress for emergency vehicles.
- E. Inspect all racks and equipment as it is coming off the truck. Any equipment that is damaged or broken is not to be used in the display.
- F. All mortar racks are to be setup and installed prior to any loading of live materials.
- G. Inspect all shells and fireworks devices such as cakes, candles, and ground effects prior to loading, or placing in the firing area. Any materials found to be damaged, or not in proper condition are not to be used in the display.
- H. All materials fuses are to be situated and secured for easy access and removal of safety caps just prior to firing.
- I. (Electric Firing) Any e-matching of materials will take place at least 50 feet from the truck holding the fireworks, and at least 100 feet from any public access. Limit the amount of materials in this area to just ONE box at a time.
- J. (Electric Firing) Once all materials are setup, no personnel are allowed within the firing area during the continuity testing. If there is a need to check contact points, or adjust materials, the firing control panel must be disabled completely before an operator enters the firing area.
- K. (Manual Firing) Operators will use fusees (flares) for ignition of shell leaders.
- L. Previously installed multiple ignition points are to be placed along Finale racks, or any chain fused sections of the display.

2. Termination and Emergency Procedures

- A. If, at any time before, or during the discharge of a display, there arises a condition that adversely affects the firing or completion of the display, the operator will IMMEDIATELY halt the display, until such a time that the condition can be either corrected, or deleted from the program.
 - 1. The AHJ will also have the authority to halt the display, should any such condition arise.
 - 2. Communications between the operator and the AHJ will be necessary to provide for the continuation of the display (if halted).

**Kevin Wetzel
Wetzel Pyrotechnics**

- B. If there is a weather-related concern, the display is to be halted, or postponed, until better conditions prevail. If there is no alternative, or if conditions remain at an unsafe level, then the operator is to cancel the display, and the Rain Date option will be considered.
 - 1. All mortar racks are to be covered with tarps, plastic or other suitable materials to prevent materials from getting wet. Cakes, and other ground effects can be placed in plastic bags.
 - 2. Any materials that do become wet shall not be used and are to be placed into regulation cartons and returned to ATF approved storage.
- C. If, during the display, an errant shell or malfunction of equipment causes materials to be sent unintentionally towards the spectator area, or out of the intended fallout area, the operator will IMMEDIATELY halt the display.
 - 1. The safety of the spectators is the primary concern, and the operator is to ensure that any errant shell trajectories or malfunctions are dealt with as soon as it is safe to do so. Repositioning of the racks or dropping that part of the display will be done before resuming any firing.
 - 2. A situation of this nature could cause the rest of the display to be postponed or cancelled with the communication and cooperation of the AHJ.
 - 3. Identification of the errant materials and/or equipment is to be documented in the operators after display report.
 - 4. If there is ANY injury of any nature, to a spectator, or any other person, the display is to be halted, and the assistance of the local EMS, Fire Department, and/or other fire and life safety personnel on duty at the time is to be utilized.
- D. Ingress and Egress routes are always to be maintained and are to remain clear for emergency vehicles and personnel.
 - 1. Should there be any reason to need such access, the operator shall halt all firing, and suspend the display.
 - 2. The operator and other display personnel may assist such emergency personnel to control and contain any condition to insure the safety and security of the site.

3. Post Display

- A. Once the display has been completed, the operator will make the determination to break down the display equipment when s/he finds all conditions safe to do so.
 - 1. The operator and assistances will allow a minimum of 30 minutes for a "cool-down" period, once the display is completed.
 - a. Beginning with the mortars that were fired first, make sure that all shells and materials were discharged.
 - b. Once all racks and equipment have been cleared, the operator will approve the break down of the display.

Wetzel Pyrotechnics
Kevin Wetzel
919-441-7353

**Kevin Wetzel
Wetzel Pyrotechnics**


2. Misfired Materials
 - a. Identify any and all misfired materials.
 - b. Ensure that there are no ignition hazards present before handling. All sparks are to be extinguished, E-matches should be disconnected and shunted, and then may be carefully removed and stored.
 - c. Carefully remove materials from the discharge area.
 - d. Place materials into regulation carton, and transport back to approved ATF storage.
 - e. Record misfires in the operator's display report
- B. The operator will assist the AHJ in conducting the post display inspection and sign off on any documentation the AHJ may require.
- C. Once the inspection is completed, the operator may clear the on-duty Fire Department personnel.
- D. The entire discharge area and fallout zones are to be inspected to ensure there are no duds, misfires, or any other materials left on the display site. A full site check will also be performed early the following morning.
- E. Clean up includes removal of all equipment, paper debris, and any other items that remain as a result of the display.

A copy of the operators after display report will be provided to the local fire code official if requested.

Safety Data Sheet

SECTION 1: IDENTIFICATION

Product Name	Firewire Initiators
Identifier Uses	No specific first aid measures noted.
Supplier	MJG Technologies Inc. 836 Camden Avenue Blackwood, NJ 08012 Tel: 856-228-6118
Contact Person	info@electricmatch.com
Emergency Telephone	1-352-323-3500 Contract # 100588



SECTION 2: HAZARDS IDENTIFICATION

Appearance	Solid. Medium brown colored bead of pyrotechnic composition on a copper-clad chip with two PVC insulated connecting wires of various lengths. Red or blue lacquer coating on igniter head.
Color	Medium brown colored.
Odor	No odour information available.

Pictogram(s)



Signal Word	Danger
--------------------	--------

Hazard Statements	H204 Fire or projection hazard. H302 Harmful if swallowed. H332 Harmful if inhaled. H351 Suspected of causing cancer . H361 Suspected of damaging fertility or the unborn child . H372 Causes damage to organs [*] through prolonged or repeated exposure [*].
--------------------------	--

Precautionary Statements	P201 Obtain special instructions before use. P210 Keep away from heat/ sparks/open flames/hot surfaces. — No smoking. P250 Do not subject to grinding/ shock/[*]/friction. P260 Do not breathe dust/fume/ gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P281 Use personal protective equipment as required. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P334 Immerse in cool water/wrap in wet bandages. P370 + P380 In case of fire: Evacuate area.
---------------------------------	--

P373 DO NOT fight fire when fire reaches explosives.
 P374 Fight fire with normal precautions from a reasonable distance.
 P405 Store locked up.

Contains	orange lead
GHS Classification	
Physical and Chemical Hazards	Expl. 1.4 - H204
Human Health	Acute Tox 4 - H302, Acute Tox 4 - H332, Carc. 2 - H351, Repr. 2 - H361, STOT RE 1 - H372,
Environment	Not classified
OSHA Regulatory Status	This product is Hazardous under the OSHA Hazard communication Standard.
Inhalation	Inhalation of large amounts of igniter heads may cause respiratory discomfort.
Ingestion	Harmful if swallowed.
Skin contact	Thermal burns to the skin caused by accidental ignition of igniters. Not absorbed through the skin.
Eye contact	Thermal burns to the eyes caused by accidental ignition of igniters .
Routes of Exposure	No Information available.
Other Hazards	Not applicable.

SECTION 3: Composition/Information on Ingredients

Name	Product Identifier	GHS Classification	%
boron	CAS-No.: 7440-42-8 EC No.: 231-151-2		10-30%
Composition Comments		Chemical names/ identifiers have been removed without affecting the overall safety information on the Safety Data Sheet.	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Information	CAUTION! First aid personnel must be aware of own risk during rescue! Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Burns must be treated by doctors. Place unconscious person on the side in the recovery position and ensure breathing can take place. If heart stops, heart-compression must be carried out. In case of accidents: Call an ambulance immediately! Show the MSDS.
Inhalation	If this product is inhaled and symptoms occur, move the exposed person to fresh air promptly. Seek medical attention if symptoms persist.
Ingestion	Get medical attention immediately. Do NOT induce vomiting. If victim is conscious and alert, wash out mouth with water then give water. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep airway clear.
Skin contact	Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Consult a doctor.
Eye contact	Do not rub eye. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse. Continue to rinse for at least 15 minutes.

Most important symptoms and effects, both acute and delayed

General Information	The severity of the symptoms described will vary dependant of the concentration and the length of exposure.
Inhalation	Inhalation of large amounts of igniter heads may cause respiratory discomfort.
Ingestion	Harmful if swallowed.
Skin contact	Thermal burns to the skin caused by accidental ignition of igniters. Not absorbed through the skin.
Eye contact	Thermal burns to the eyes caused by accidental ignition of igniters .
Routes of Exposure	No Information available.

Most important symptoms and effects, both acute and delayed

Notes To The Physician	Treat Symptomatically.
-------------------------------	------------------------

Auto Ignition Temperature (°C)	No Information available.
Flammability Limit - Lower(%)	No Information available.
Flammability Limit - Upper(%)	No Information available.
Flash point	No Information available.
Extinguishing Media	Use fire-extinguishing media appropriate for surrounding materials.
Hazardous combustion products	Smoke contains Boron and Titanium.
Unusual Fire & Explosion Hazards	Burning igniters will project sparks several feet and can cause secondary fires. Igniters may rupture a container if ignited under confinement. Igniters may be ignited by extreme impact, friction or electrostatic discharge.
Special Fire Fighting Procedures	If possible, fight fire from protected position. Avoid breathing fire vapours. Keep up-wind to avoid fumes. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water. Use water spray to cool container and prevent rupture.
Protective equipment for fire-fighters	Fire fighters should wear full protective equipment, including a self-contained breathing apparatus. Water should be used to cool surrounding containers.

SECTION 6: Accidental Release Measures

Personal Precautions	Use proper personal protection (refer to Section 8).
Environmental Precautions	Run off from fire control or dilution water may cause pollution. Keep out of drains, municipal sewers, open bodies of water and water course.
Spill Clean Up Methods	Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and Storage

Handling	Read and follow manufacturer's recommendations. Do not handle broken packages without protective equipment. Avoid spilling, skin and eye contact. Do not use contact lenses. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges when there is a risk of dust explosion.
Usage Description	Use only according to directions.
Storage Precautions	Store igniters in accordance with local, state and federal regulations. Keep dry and avoid temperatures above 120 degree F. Store in closed container away from incompatible materials, sunlight and heat to prolong shelf life. Minimize exposure in accordance with good hygiene practices. Keep out of reach of children. Keep away from food and drink. Containers opened must be resealed and kept upright. Do not store in unlabelled containers.
Specific End Use(s)	Igniter.

SECTION 8: Exposure Controls/Personal Protection

Protective Equipment



Ingredient Comments

No occupational exposure limits noted for the ingredients(s).

Process Conditions Engineering Measures Respiratory Equipment Hand Protection

Ensure that eye flushing systems and safety showers are located close to the working place. Provide adequate ventilation. If ventilation is inadequate use a suitable respirator. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Due to risk of fire, leather footwear and cotton clothing should never be used. Long sleeved shirt, trousers, rubber boots, rubber gloves, and rubber apron.

Eye Protection

Use equipment for eye protection tested and approved under appropriate government

standards such as NIOSH (US) or EN 166(EU).
Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Solid. Medium brown colored bead of pyrotechnic composition on a copper-clad chip with two PVC insulated connecting wires of various lengths. Red or blue lacquer coating on igniter head.
Color	Medium brown colored.
Odor	No odour information available.
Odor Threshold - Lower	No Information available.
Odor Threshold - Upper	
pH-Value, Conc. Solution	No Information available.
pH-Value, Diluted Solution	No Information available.
Melting point	No Information available.
Initial boiling point and boiling range	No Information available.
Flash point	No Information available.
Evaporation rate	No Information available.
Flammability State	No Information available.
Flammability Limit - Lower(%)	No Information available.
Flammability Limit - Upper(%)	No Information available.
Vapor pressure	No Information available.
Vapor Density (air=1)	No information available.
Relative density	No Information available.
Bulk Density	No Information available.
Solubility	No information available.
Decomposition temperature	No Information available.
Partition coefficient; n-octanol/water	No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	Bead of pyrotechnic composition on a copper-clad chip with two PVC insulated connecting wires of various lengths.
Oxidizing Properties	No Information available.
Molecular Weight	No Information available.
Volatile Organic Compound	No Information available.

Reactivity	Reaction with heat, acids and reducing agents.
Stability	Stable under normal temperature conditions and recommended use.
Hazardous Polymerisation	Will not polymerise.
Hazardous Decomposition Products	Smoke contains oxides of Boron and Titanium.
Conditions to Avoid	Avoid contact with strong oxidisers. Avoid heat, flames and other sources of ignition.
Materials to Avoid	Keep away from strong acids. Keep away from strong reducing agents and strong oxidising agents.

SECTION 11: Toxicological Information

Toxicological Information	No toxicological information for the overall finished product.
Acute Toxicity (Oral LD50)	No Information available.
Acute Toxicity (Dermal LD50)	No Information available.
Acute Toxicity (Inhalation LC50)	No Information available.
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitisation	No Information available.
Skin Sensitisation	No Information available.
Reproductive Toxicity:	No Information available.
Germ Cell Mutagenicity:	No Information available.
Genotoxicity - In Vitro	No Information available.
Genotoxicity - In Vivo	No Information available.
Carcinogenicity:	No Information available.
Carcinogenicity	No Information available.
NTP - Carcinogenicity	The product and its components are not listed.
OSHA - Carcinogenicity	The product and its components are not listed.
IARC Carcinogenicity	The product and its components are not listed.
Specific Target Organ Toxicity - Single Exposure:	
STOT - Single Exposure	No Information available.
Specific Target Organ Toxicity - Repeated Exposure:	
STOT - Repeated Exposure	No Information available.

SECTION 12: Ecological Information

Ecotoxicity	The product does pose an environmental hazard.
Acute Toxicity - Fish	No Information available.
Acute Toxicity - Aquatic Invertebrates	No Information available.
Acute Toxicity - Aquatic Plants	No Information available.
Degradability	There are no data on the degradability of this product.
Bioaccumulative Potential	No data available on bioaccumulation.
Mobility	No information available.
Results of PBT and vPvB Assessment	No information available.
Other Adverse Effects	No information available.

SECTION 13: Disposal Considerations

Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
-------------------------	--

SECTION 14: Transport Information

UN Number

UN No. (DOT/TDG)	UN454
UN No. (IMDG)	UN454
UN No. (IATA)	UN0454

Proper Shipping Name

DOT/TDG Proper Shipping Name	IGNITERS
IMDG Proper Shipping Name	IGNITERS
IATA Proper Shipping Name	Igniters

Transport Hazard Class(es)

DOT/TDG Class	1.4
IMDG Class	1.4 S
IATA Class	1.4S

Transport Labels**Packing Group(s)**

DOT Packing Group	<none>
IMDG Packing Group	-
IATA Packing Group	<none>

Special Precautions for User

EMS	F-B, S-X
-----	----------

Environmentally Hazardous Substance/Marine Pollutant

ADR	No
IMDG	No
IATA	No

SECTION 15: Regulatory Information

US Federal Regulations**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

The Following ingredients are listed None Listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The Following ingredients are listed None Listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed None Listed.

SARA 313 Emission Reporting

The Following ingredients are listed None Listed.

CAA Accidental Release Prevention

The Following ingredients are listed None Listed.

OSHA Highly Hazardous Chemicals

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed

None Listed.

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed

None Listed.

California Air Toxics "Hot Spots" (A-II)

The Following ingredients are listed

None Listed.

Massachusetts "Right To Know" List

The Following ingredients are listed

None Listed.

Rhode Island "Right To Know" List

The Following ingredients are listed

None Listed.

Minnesota "Right To Know" List

The Following ingredients are listed

None Listed.

New Jersey "Right To Know" List

The Following ingredients are listed


None Listed.

Pennsylvania "Right To Know" List

The Following ingredients are listed

None Listed.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	0
Flammability	0
Physical Hazard	0
Personal Protection	

Revision Comments	This is first issue
Revision Date	02/11/2016
Revision	1

Disclaimer

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. THIS INFORMATION IS BELIEVED TO BE CORRECT, BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MJG TECHNOLOGIES INC. MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OR COMPLETENESS OF THIS INFORMATION. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF THIS INFORMATION FOR THE ADOPTION OF NECESSARY SAFETY PRECAUTIONS AND/OR COMPLIANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS.

Safety Data Sheet

1. IDENTIFICATION

Last revision – May 10, 2018

Product Identifier – Fireworks, 1.4 Explosive UN0336

Trade Name – Consumer Fireworks

Supplier:

ZHUFU FIREWORKS CO.LTD

#1 HENGXIA, SHANGLI

PINGXIANG CITY, JIANGXI PROVINCE, CHINA

Telephone: (86) 731 83648292

Fax: (86) 731 83657292

2. HAZARDS IDENTIFICATION

Classification – Explosive

Pictogram:



3. COMPOSITION/INFORMATION ON INGREDIENTS

Percentages of each chemical used and what chemicals are included in the device are trade secrets.

The following chemicals may be used:

Potassium Perchlorate - KClO_4

Potassium Nitrate - KNO_3

Sulfur – S

Carbon – C

Aluminum – Al

Titanium – Ti

Barium Nitrate – $\text{Ba}(\text{NO}_3)_2$

Strontium Carbonate – SrCO_3

4. FIRST AID MEASURES

Swallowed: Wash out mouth with water provided person is conscious. Call a physician.

Inhaled: Take person to area with fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Skin contact: Immediately wash skin with soap and water.

5. FIREFIGHTING MEASURES

Extinguishing media - DO NOT attempt to fight fire near other fireworks.

Unusual fire and explosion hazards - If exposed to fire, articles will explode and propel burning projectiles. There is a risk of explosion if large quantities of fireworks are involved in a fire.

Firefighting equipment - In the case of a small amount on fire apply as much water as possible from as much distance as practical. Larger fires involving more than one carton require large volumes of water and extra care from fumes and debris. Evacuate fire area IMMEDIATELY and seek shelter. Follow emergency evacuation plan.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions - Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation. Isolate area and prevent access.

Environmental Precautions - Do not allow undiluted product or large quantities of it to reach ground water or sewage system.

Cleanup methods - Pick up while wearing proper protective equipment. Dispose of in suitable waste containers.

7. HANDLING AND STORAGE

Handling – Handle with care. Do not drop or throw. Place upright. Keep away from open flames, sparks

Storage – Avoid storage near extreme heat, ignition sources or open flames. Store in a dry and well-ventilated location. Items are best stored in original packaging. Store in accordance to all local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Limits of Exposure – No limits when items are in their original packaging.

Eye protection - None required when handling finished fireworks

Skin protection – Wear cotton clothing

Respiratory protection - None required when handling finished fireworks

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance – All the chemical composition is contained in paper casing

Odor - All the chemical composition is contained in paper casing

Solubility in water – Partly soluble in water

10. STABILITY AND REACTIVITY

Stability – Stable

Conditions to avoid – Avoid high temperatures, heating, open flames or ignition sources.
Do not allow items to become soaking wet

Materials to avoid – Oxidizers and flammable agents

11. TOXICOLOGICAL INFORMATION

Eyes – N/A when handling finished product. When in use, particles possibly could irritate eyes.

Skin - N/A when handling finished product. When in use, particles possibly could irritate skin.

Breathing - N/A when handling finished product. When in use, particles possibly could irritate breathing.

Safety Data Sheet

1. IDENTIFICATION

Last revision – May 10, 2018

Product Identifier – Fireworks, 1.4 Explosive UN0336

Trade Name – Consumer Fireworks

Supplier:

ZHUFU FIREWORKS CO.LTD

#1 HENGXIA, SHANGLI

PINGXIANG CITY, JIANGXI PROVINCE, CHINA

Telephone: (86) 731 83648292

Fax: (86) 731 83657292

2. HAZARDS IDENTIFICATION

Classification – Explosive

Pictogram:



3. COMPOSITION/INFORMATION ON INGREDIENTS

Percentages of each chemical used and what chemicals are included in the device are trade secrets.

The following chemicals may be used:

Potassium Perchlorate - KClO_4

Potassium Nitrate - KNO_3

Sulfur – S

Carbon – C

Aluminum – Al

Titanium – Ti

Barium Nitrate – $\text{Ba}(\text{NO}_3)_2$

Strontium Carbonate – SrCO_3

4. FIRST AID MEASURES

Swallowed: Wash out mouth with water provided person is conscious. Call a physician.

Inhaled: Take person to area with fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

Skin contact: Immediately wash skin with soap and water.

5. FIREFIGHTING MEASURES

Extinguishing media - DO NOT attempt to fight fire near other fireworks.

Unusual fire and explosion hazards - If exposed to fire, articles will explode and propel burning projectiles. There is a risk of explosion if large quantities of fireworks are involved in a fire.

Firefighting equipment - In the case of a small amount on fire apply as much water as possible from as much distance as practical. Larger fires involving more than one carton require large volumes of water and extra care from fumes and debris. Evacuate fire area IMMEDIATELY and seek shelter. Follow emergency evacuation plan.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions - Wear protective equipment. Keep unprotected persons away. Remove persons from danger area. Ensure adequate ventilation. Isolate area and prevent access.

Environmental Precautions - Do not allow undiluted product or large quantities of it to reach ground water or sewage system.

Cleanup methods - Pick up while wearing proper protective equipment. Dispose of in suitable waste containers.

7. HANDLING AND STORAGE

Handling – Handle with care. Do not drop or throw. Place upright. Keep away from open flames, sparks

Storage – Avoid storage near extreme heat, ignition sources or open flames. Store in a dry and well-ventilated location. Items are best stored in original packaging. Store in accordance to all local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Limits of Exposure – No limits when items are in their original packaging.

Eye protection - None required when handling finished fireworks

Skin protection – Wear cotton clothing

Respiratory protection - None required when handling finished fireworks

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance – All the chemical composition is contained in paper casing

Odor - All the chemical composition is contained in paper casing

Solubility in water – Partly soluble in water

10. STABILITY AND REACTIVITY

Stability – Stable

Conditions to avoid – Avoid high temperatures, heating, open flames or ignition sources.
Do not allow items to become soaking wet

Materials to avoid – Oxidizers and flammable agents

11. TOXICOLOGICAL INFORMATION

Eyes – N/A when handling finished product. When in use, particles possibly could irritate eyes.

Skin - N/A when handling finished product. When in use, particles possibly could irritate skin.

Breathing - N/A when handling finished product. When in use, particles possibly could irritate breathing.

Lidu Fireworks Hazard Communication Safety Data Sheets

Lidu Town, JinXian Country, NanChang City, JiangXi Province, China 331725

Phone: 86-791-8563 8888 Fax: 86-791-8563 8138

UN0335 1.3G Display Fireworks

Date Prepared: Feb.24th, 2017

Section 1, Identification

Each device labels:

- (1): Commodity description in both Chinese and English for CAKES
- (2): Warning labels for CAKES
- (3): Distributor name and address, Manufacturer name and address, Produce date, Country of origin

Cartons information:

Cakes shoot, Cakes item No., Packing, Cakes item name, The same information as above section 1 part (3), Warning information, Order No., UN0335 1.3G, Bill of Lading remark emergency phone number.

- Recommended use and restriction on use
- Recommended use: Explosive product for professional use for entertainment and technical purposes
- Restrictions on use: Contact manufacturer/supplier

Section 2, Hazard(s) identification

Warning label show correctly and safely display fireworks is put on each cartons and devices.

- Classification of the substance or mixture
- Expl. 1.3 H203 Explosive; fire, blast or projection hazard.
- Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms:

GHS01



- Signal word: Danger
 - Hazard statements:
- H203 Explosive; fire, blast or projection hazard.

• Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P250 Do not subject to grinding/shock/friction.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P373 DO NOT fight fire when fire reaches explosives.

P370+P380 In case of fire: Evacuate area.

P372 Explosion risk in case of fire.

Section 3, Composition/information on ingredients

Cakes Main ingredients:

Potassium Perchlorate— KClO_4

Potassium Nitrate— KNO_3

Sodium fluoroaluminate— Na_3AlF_6

Barium Nitrate— $\text{Ba}(\text{NO}_3)_2$

Strontium carbonate— SrCO_3

Sulfur— S

Carbon— C

Copper Oxide— CuO

Aluminum— Al

Al+Mg Alloy

Titanium—Ti

LAC— $\text{C}_{16}\text{H}_{24}\text{O}_5$

Resin— $\text{C}_{48}\text{H}_{42}\text{O}_7$

PVC— $(\text{C}_2\text{HCl})_n$

Powder of polished glutinous rice

Section 4, First-aid measures

No chemical components are released during normal handling of this device. In normal use with adequate ventilation the smoke produced should not be a problem. However, ground level smoke generated during the shooting of public display shows may contain gases which may cause irritation of eyes and mucous membranes, prolonged inhalation of smoke should be avoided.

Persons with pre-existing respiratory conditions (i.e. asthma, emphysema, etc) should avoid inhalation of smoke. Move to fresh air and avoid further exposure to smoke and seek medical assistance.

Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions.

-After inhalation: Supply fresh air; consult doctor in case of complaints.

-After skin contact:

Wash with soap and water.

In case of minor burns, flush with cool water.

If skin irritation is experienced, consult a doctor.

-After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

-After swallowing:

Unlikely route of exposure.

Do not induce vomiting; immediately call for medical help.

Section 5, Fire-fighting measures

Cool pyrotechnic devices and/or package with water and remove them if possible. Do not use suffocation methods - devices contain their own oxygen. Fireworks will burn rapidly in the event of fire. If a large amount of fireworks are involved, allow them to burn and prevent spread of fire.

Do Not Smoke at any time when dealing with pyrotechnic devices.

- Extinguishing media

- Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- For safety reasons unsuitable extinguishing agents: None.

- Special hazards arising from the substance or mixture Explosive; fire, blast or projection hazard.

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

- Additional information:

Eliminate all ignition sources if safe to do so.

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

Cool endangered receptacles with water spray.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions.

Individual devices will randomly explode. Mass explosion of multiple devices is possible under certain conditions. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding

devices under containment. See 2012 Emergency response Guidebook for further information.

Section 6, Accidental release measures

Prolonged exposure to smoke generated during the shooting of this device may cause respiratory irritation, difficulty in breathing, headaches, nausea and irritation of eyes and may result in vomiting.

Carefully pick up spills with non-sparking and non-static producing tools. Supervision only by a person knowledgeable in explosives. Avoid skin contact. In case of contact with skin, wash hands immediately.

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Isolate area and prevent access.

- **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Methods and material**

Section 7, Handling and storage

- **Handling**

- **Precautions for safe handling:**

Handle with care. Avoid jolting, friction and impact.

Restrict the quantity stored at the work place.

Keep out of reach of children.

- **Information about protection against explosions and fires:**

In case of fire: Evacuate area.

Explosion risk in case of fire.

Keep away from sparks and open flames. - No smoking.

Emergency cooling must be available in case of nearby fire.

- **Conditions for safe storage, including any incompatibilities**

• **Conditions to Avoid:** No open items, smoking and moisture in the vicinity of stored fireworks, avoid friction and impact.

• **Incompatibility:** Do not allow fireworks to get wet

- **Storage**

Store in a cool dry place, humidity should preferably be less than 70%. Avoid

extreme temperatures. In particular sub-zero temperatures where freezing and re-thaw can alter the performance of the article.

- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility:

Store in accordance with local/regional/national/international regulations.

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store locked up.

Section 8, Exposure controls/personal protection

Eye Protection: None.

Respiratory Protection: None.

Skin Protection: Metal free and non-static producing clothes.

Other Protection: None.

Ventilation Recommended: Not required in open, unconfined areas.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Engineering controls: Provide adequate ventilation.

Breathing equipment: Not required under normal conditions of use.

- Protection of hands: When needed, wear gloves for protection against mechanical hazards.

- Eye protection:

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- Body protection: When needed, wear protective clothing for protection against mechanical hazards.

- Limitation and supervision of exposure into the environment

No relevant information available.

- Risk management measures

Organizational measures should be in place for all activities involving this product.

Section 9, Physical and chemical properties

Solubility in Water: Slight

Appearance and Odor: All pyrotechnic composition is contained in a cardboard casing. Usually they are cardboard balls or cardboard tubes individually or in a group combination.

Hazardous Decomposition Products: Smoke generated during the use of these devices may contain small amount of Carbon Monoxide, Hydrogen Sulfite and Nitrogen Oxides. Avoid prolonged inhalation of smoke.

Section 10, Stability and reactivity

Stability: Stable

Thermal Stability Test Results: The test was performed on the Lidu Display Fireworks finished items. The device did not ignite, explode, or undergo any significant decomposition during heating at 75°C (167°F) for 48 hours.

Hazardous Polymerization: Will Not Occur

Chemical stability:

- Thermal decomposition / conditions to be avoided: Risk of explosion if heated under confinement.

- Possibility of hazardous reactions Explosive; fire, blast or projection hazard.

Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and alkali.

- Conditions to avoid Excessive heat.

- Sources of ignition: sparks, open flame, incompatible materials

- Incompatible materials Oxidizers, strong bases, strong acids

- Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulfur oxides (SO_x)

Section 11, Toxicological information

-Information on toxicological effects

--Acute toxicity:

-LD/LC50 values that are relevant for classification: None.

-Primary irritant effect:

-On the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

-On the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly

Inhalation: Yes, when shooting. (Refer to above Section 6)

Skin: No.

Ingestion: No.

· Probable route(s) of exposure:

Skin contact.

Eye contact.

Inhalation.

· Acute effects (acute toxicity, irritation and corrosivity):

Danger of blast or crush-type injuries.

Risk of thermal burns.

· Repeated dose toxicity: From product as supplied: None.

· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

· Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

Section 12, Transport information

The local inspection bureau spot check every batch of cargos before any shipments. Then issue commodity inspection certificate and dangerous goods transport package identification for us to declare to the customs.

The containers usually ship to loading port by truck or by barge. Next they will be loaded to the vessel shipping to port of discharge by sea, then ship to place of delivery by rail. At last the consignee will pick it up by truck after finish customs clearance.

UN-Number

· DOT, ADR, IMDG UN0335

- IATA FORBIDDEN
- UN proper shipping name
- DOT, ADR, IMDG Fireworks
- IATA FORBIDDEN
- Transport hazard class(es)
- **DOT**



- Class 1.3
- Label 1.3G
- **ADR**



- Class 1.3
- Label 1.3G

EMS Number: F-S,B-X

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

Section 13 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** May be accumulated in organism
- **Mobility in soil:** No relevant information available.
- **Other adverse effects** No relevant information available.

Section 14 Disposal considerations

- Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in

compliance with all relevant local, state and federal laws and regulations regarding treatment, storage

and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Section 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 313 (Specific toxic chemical listings): Contact manufacturer.
- TSCA (Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- Chemicals known to cause cancer: Contact manufacturer.
- Chemicals known to cause reproductive toxicity for females: Contact manufacturer.
- Chemicals known to cause reproductive toxicity for males: Contact manufacturer.
- Chemicals known to cause developmental toxicity: Contact manufacturer.
- Carcinogenic categories
- EPA (Environmental Protection Agency): None of the ingredients are listed.
- IARC (International Agency for Research on Cancer): Contact manufacturer.
- NIOSH-Ca (National Institute for Occupational Safety and Health): Contact manufacturer.

Section 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

04/25/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Ryder, Rosacker, McCue & Huston 509 W. Koenig St. Grand Island NE 68801	CONTACT NAME: Kristy Wolfe PHONE (A/C No., Ext): (308) 382-2330 FAX (A/C No.): (308) 382-7109 E-MAIL ADDRESS: info@ryderinsurance.com
INSURER(S) AFFORDING COVERAGE	
INSURER A: Auto-Owners	
NAIC # 10190	
INSURER B:	
INSURER C:	
INSURER D:	
INSURER E:	
INSURER F:	

INSURED
Wetzel Pyrotechnics, Kevin Wetzel dba
 125 Eagleton Cir
 Moyock NC 27958

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☐ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PRO-JECT ☐ LOC OTHER:						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ \$
	AUTOMOBILE LIABILITY ☐ ANY AUTO ☐ OWNED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ HIRED AUTOS ONLY ☐ NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB ☐ OCCUR EXCESS LIAB ☐ CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
*	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) ☐ Y / N If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		69IOU4N31960423	04/24/2023	04/24/2024	☒ PER STATUTE ☐ OTH-ER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Office of State Fire Marshal
 1202 Mail service Center

 Raleigh, NC 27699-1202

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

<MM>



TO: Wayne County Board of Commissioners
FROM: Mandy Trujillo, Wayne County Purchasing Specialist
DATE: October 3, 2023
SUBJECT: Request Approval to Purchase Labrie Wittke Starlight Front Loader Garbage Truck

The Wayne County Landfill would like approval to purchase a Labrie Wittke Starlight Front Loader Garbage truck from Joe Johnson Equipment in the amount of \$367,995.00. They will be purchasing it off of the North Carolina Sheriffs Association Cooperative Purchasing Agreement, Bid number 24-08-0421. This item was in their 2023-2024 budget.

Back up documentation is attached for your review.

North Carolina Sheriffs' Association Heavy Equipment Procurement Program Contract Award Agreement

Heavy Equipment Procurement Program Bid 24-08-0421

We are pleased to announce the North Carolina Sheriffs' Association has successfully completed its statewide competitive award for heavy equipment. All local government units are eligible to utilize this competitively bid contract while keeping with their local governing purchasing ordinances. Bid 24-08-0421 will be effective May 18, 2023 through May 17, 2024.

Congratulations, your company has been included on the Association's price sheet contract controlled by the North Carolina Sheriffs' Association's Solicitation for Bids and Contract Terms and Conditions.

By the award of this contract based on your company's bid for Solicitation Number 24-08-0421, all terms and conditions set forth in the Solicitation for Bids and Contract Terms and Conditions are incorporated herein by reference and agreed to by the Contractor and the North Carolina Sheriffs' Association.

Signature of Authorized Representative

Christina Suttan

Printed Name of Authorized Representative

Ice Johnson Equipment DBA public works Equipment

Contractor/Vendor Name (Please Print)

5/18/23

Date

[Signature]

Signature of NCSA Contract Administrator

Jason D. Bennett

Printed Name of NCSA Contract Administrator

May 18, 2023

Date


UNC

SCHOOL OF GOVERNMENT

**THE UNIVERSITY
of NORTH CAROLINA
at CHAPEL HILL**

 KNAPP-SANDERS BUILDING
CAMPUS BOX 3330
CHAPEL HILL, NC 27599-3330

 T 919.966.5381
F 919.962.0654
www.sog.unc.edu

August 27, 2015

To: North Carolina units of local government and other interested parties

From: Norma R. Houston, *Lecturer in Public Law and Government*

Re: North Carolina Sheriffs' Association Vehicle Procurement Program

The UNC School of Government has been asked to render an opinion about the legality of purchasing law enforcement vehicles directly through the North Carolina Sheriffs' Association Vehicle Procurement Program ("the NCSA Program") under the group purchasing program exception to competitive bidding requirements under North Carolina General Statute 143-129(e)(3). The following opinion is not a recommendation for or endorsement of the products or services offered through the NCSA Program.

Under North Carolina law, when a local government subject to Article 8, Chapter 143 of the North Carolina General Statutes decides to purchase apparatus, supplies, materials, or equipment involving the expenditure of \$30,000 or more, that local government must follow certain statutory bidding procedures unless an exception applies. G.S. 143-129 contains several exceptions to these bidding requirements. One of these exceptions, found in G.S. 143-129(e)(3), allows local governments to purchase apparatus, supplies, materials, or equipment through a "competitive bidding group purchasing program" instead of following the bidding requirements of Article 8. G.S. 143-129(e)(3) defines a "competitive bidding group purchasing program" as "a formally organized program that offers competitively obtained purchasing services at discount prices to two or more public agencies." In my opinion, the NCSA Program qualifies as a competitive bidding group purchasing program under G.S. 143-129(e)(3).

Accordingly, local governments subject to Article 8, Chapter 143 of the North Carolina General Statutes have the legal authority to purchase vehicles directly from vendors under contract through the NCSA Program under the group purchasing program exception in G.S. 143-129(e)(3), unless such purchases are inconsistent with local policies or procedures. An analysis of the NCSA Program under the group purchasing program exception follows.

Formally Organized Program

In order to qualify as a group purchasing program under G.S. 143-129(e)(3), the entity offering products and services must be "formally organized." While the statute does not define this term, it suggests some level of organization beyond an ad hoc group that decides

to enter into contracts jointly. The North Carolina Sheriffs' Association is a nonprofit organization formed in 1922. According to the NCSA website (www.ncsheriffs.org), the organization is governed by a board of directors, has an office, contact information, and staff. As such, the NCSA meets the requirement of being formally organized.

Competitively Obtained Purchasing Services

Under the group purchasing exception, the items and services offered must be "competitively obtained," meaning the organization's contracts were procured through a competitive process. While this process does not have to mirror in every respect the competitive bidding requirements of G.S. 143-129 for purchase contracts in the formal bidding range, it must ensure a reasonable opportunity for interested vendors to be notified of and submit bids with fair evaluation of those bids leading to a contract award. The vehicle contracts available through the NCSA Program are entered into by the NCSA after broadly disseminated advertising (including through the North Carolina Bid Network), a pre-bid conference, and receipt of sealed bids by an advertised bid deadline. Bids were evaluated and awarded based on the lowest, responsive, responsible bidder standard of award. In my opinion, this process meets the statutory requirement that the contracts be obtained competitively. (See NCSA website for specific bid-related documents).

Discount Prices

A third element of the group purchasing program exception is that the prices offered by vendors must be discounted. Typically such discounts take the form of a price less than list price, although this is not specifically required under the group purchasing program exception. The competitive bid prices received by the NCSA and the contracts awarded contain competitive discount pricing, thus satisfying this requirement of the statute.

Two or More Public Agencies

The final requirement under the group purchasing program exception is that the items offered through the program are available to at least two public agencies (this requirement does not exclude the opportunity for private entities to purchase items from the program). According to its website, the NCSA offers the opportunity to purchase through the NCSA Program to all 100 sheriffs' offices in North Carolina, thus making the program available to at least two public agencies.

For these reasons, it is my opinion that local governments in North Carolina may purchase vehicles directly (i.e., without having to comply with the competitive bidding requirements of Article 8) from vendors through the NCSA Program under the group purchasing program exception of G.S. 143-129(e)(3).

SEARCH THIS WEBSITE...

[Home](#) [About](#) [Sheriffs Directory](#) [Services](#) [Legislative Reports](#) [Training](#) [Publications & Links](#)
[Contact](#) [Online Store](#) [Support](#) [Procurement Programs](#)

2023-2024 Heavy Equipment Offered

Bid 24-08-0421

Effective May 18, 2023 – May 17, 2024

All available groups of equipment can be found below alphabetically. Please click on the group name to view all available equipment for the specified group. From there you will be able to view all awarded vendors, pricing, discounts, specifications (build sheets), and option sheets for each line item per group type.

Please note: Some models may be listed within the option sheet as they may be considered to be an upgrade/downgrade to the base model listed.

For a copy of the full list of equipment offered for the 2023-2024 contract year please click below:

Award Report:
Bid 24-08-0421


All-Terrain Vehicles

**Asphalt Maintenance and Recycling
Equipment**

- yard, XMCS0276
- (Bid 24-08-0421) Item: 1526,
Labrie, Expert Manual Co-
Mingle 33 cubic yard,
XMCC0276
 - (Bid 24-08-0421) Item: 1527,
Labrie, Mini Rear Factory
Mounted 10.5 cubic yard,
MINI-10.5
 - (Bid 24-08-0421) Item: 1528,
Labrie, MiniMax Helping Hand
12 cubic yard, MXAH0102
 - (Bid 24-08-0421) Item: 1529,
Labrie, Top Select 1000 34
cubic yard, XTSS0313
 - (Bid 24-08-0421) Item: 1530,
Labrie, Wittke Starlight 40
cubic yard, WIT-40-ST
 - (Bid 24-08-0421) Item: 1531,
Labrie, Wittke SuperDuty 40
cubic yard, WIT-40TA

Industrial Weighing Equipment**Leaf & Debris Collection Equipment****Liftgates****Lifts****Lighting****Loaders****Mobile Air Compressors****Mobile Stackers****Mowers****Mulching Equipment**

Enter your zip code
28333



SEARCH

YOUR DISTRIBUTOR

JOE JOHNSON EQUIPMENT – CAROLINAS

Address: 4519 Old Charlotte Hwy, Monroe, NC 28110, USA ↗
(<https://www.google.com/maps/search/?api=1&query=4519-old-charlotte-hwy-monroe-nc-28110-usa>)

Sans Frais: 1-800-222-6803 (tel:+18002226803)

Courriel: info@jjei.com (mailto:info@jjei.com)

Website: <https://www.jjei.com> ↗ (<https://www.jjei.com>)

JOE JOHNSON EQUIPMENT – CAROLINAS

Address: 4519 Old Charlotte Hwy, Monroe, NC 28110, USA ↗
(<https://www.google.com/maps/search/?api=1&query=4519-old-charlotte-hwy-monroe-nc-28110-usa>)





A subsidiary of Federal Signal Corporation

704-289-6488



jjei.com



info@jjei.com



4519 Old Charlotte Hwy. Monroe NC 28110



September 7, 2023
Quote: 0523037

Wayne County Solid Waste
460 B S Landfill Rd
Dudley, NC 28333

Attention: Blake Stevens

RE: Labrie Wittke Starlight Front Loader

Dear Blake,

We would like to take this opportunity to thank you for your continued interest in both Joe Johnson Equipment (JJE) and in Labrie Environmental Group's venerable line of industry-leading, innovative refuse collection equipment.

JJE is pleased to present the following quotation to provide one (1) Labrie Wittke Starlight mounted on a Peterbilt Chassis, per NCSA Contract #24-08-0421, Item # 1530.

We appreciate the opportunity to assist with this equipment requirement and ask that you not hesitate to contact us should you require additional information.

Respectfully Submitted,

Doug Boice
Regional Sales Manager
Joe Johnson Equipment
Cell: (980)239-8055
dboice@jjeusa.com



**Joe Johnson
Equipment**

9000 US-117, P.O. Box 101, Signal Mountain, TN 37381

704-289-6488



jjei.com



info@jjei.com



4519 Old Charlotte Hwy. Monroe NC 28110

Quotation



To provide one (1) new 40 yd³ Labrie Wittke Starlight front loader refuse truck mounted on a Peterbilt Chassis, standard equipped as detailed below:

Body, Packer & Tailgate:

- Packer is unitized, integral with body and is full eject type
- Packer Panel with Snowplow Shape and directs debris into the body, away from the back area of the packer
- Metal canopy above cab
- Curbside hinge-type access door with ladder with non-skid steps
- Horizontal sliding top hopper door
- Roof access ladder – reversible at rear
- Mud flaps
- Hardox steel construction
- Broom and shovel kit installed on back side of packer panel
- Tailgate safety prop and Automatic tailgate latches
- In-cab tailgate & top door controls

Forks and Lifting Arms:

- Arm capacity 10,000 lbs.
- Arm lifting capacity – 8,000 lbs.
- Forks are 1" thick
- Forks are operated by 2 cylinders
- 2 handle joystick
 - Arms are activated by a pneumatic single joystick
 - Forks are activated by a pneumatic single joystick

Hydraulic System:

- Gear type front pump
- Parker directional valve has 5 sections with air actuator
- Hydraulic deceleration valve
- Aluminum hydraulic tank with magnetic drain plug and sight gauge
- Two (2) double acting tailgate cylinders
- Two (2) double acting telescopic packer cylinders
- Return line filter (7 micron)
- Suction line strainer (100 mesh)
- Zinc-plated hydraulic tubing

Clean Air. Clean Water. Clean Streets.



**Joe Johnson
Equipment**

Divisions of Federal Sign Corporation

704-289-6488



jjei.com



info@jjei.com



4519 Old Charlotte Hwy. Monroe NC 28110



Electrical & Lighting:

- Recessed mount and watertight
- All lights are provided following FMVSS #108
- Mid-body turn signals
- Rear lights (stop, turn and rail) are integrated to tailgate structure
- License plate
- Back up alarm (when transmission in reverse and when tailgate opens or is unlocked)

Safety Features:

- All functions disable when access door open
- Blade packs & return when tailgate closed
- Completely opened and no arms up movement above canopy when operator holds the button on the console
- Arms Up function will not operate above cab windshield when packer panel not in home position
- Pressure switch on hydraulic system for over pressure protection
- Side access door open Pump circuit cut out - all controls inoperative
- Warning lights for the following
 - Arm and fork not stowed
 - Top hopper door open
 - Access door open
 - Packer panel not in home position
 - Tailgate open – BUZZER indicator in addition to warning light
- Conspicuity tape, 5lbs fire extinguisher, flare kit, first aid kit and triangle kit
- ANSI Z245.1-2008 Compliant
- A cab mounted audible alarm is provided to indicate when the tailgate is unlocked.
- Pack/autopack functions inoperative when tailgate is unlocked - Full eject mode operative
- A manual control with safety lock is installed in the cab to prevent accidental activation

In-Cab Control Station & Multiplexed System:

- Switches: Pump, tailgate up, tailgate down, top door switches – roof open/roof close
- Indicator Lights: packer retracted, hopper door open, arms not stowed
- Packer Controls: Stop Push-Button (red), Pack Push-Button (green), Retract Push-Button (yellow)
- All body and arm functions are controlled via electronic monitoring system called the multiplexed system
- LCD display with integrated diagnostic functions is installed in the cab
- Real time operation assistance with continuous system status on screen
- All switches are illuminated



**Joe Johnson
Equipment**

Division of Federal Signal Corporation

704-289-6488



jjei.com



info@jjei.com



4519 Old Charlotte Hwy. Monroe NC 28110



Paint, Manuals & Warranty:

- Grit-blasted body steel
- Marine rust inhibitor treatment on body
- Parts, service, and operator's manual
- One (1) year warranty on body & hydraulics

The Package Price Includes the Following Additional Enhancements:

- Canopy Sweeper
- Chromium Carbide Packer Shoes & Rails
- Front Pump Top Cover
- Fire Extinguisher 20 lbs on Rubrail Streetside (Rear) Vertical
- Toolbox on Chassis Aluminum 24"D x 24"H x 24"W (Swing Door)
- Additional Lights on Tailgate 2/3 Lightbar + Central Brake Light + Multifunction Lights
- Backup Lights Low on Body "B" Pillar
- Back up lights on Tailgate 2/3 Centered- LED
- Work Lights on Mirrors Streetside & Curbside Facing Hopper
- Lights: Behind Packer Work Light
- Light: Amber Strobe 6" Whelen L10 in Center of Tailgate:In Cab Switch
- Throttle Advance Control
- Autopack
- Ground Level Grease Point for Packer Cylinders- Body Front Wall Side (Centralized)
- Ground Level Grease Points for Packer Cylinders- Packer Side
- Superduty Floor on Starlight
- Rearview Camera

Purchase Price..... \$367,995.00

Terms & Conditions

Strictly Subject to Availability and Prior Sale

Subject to revision based on events beyond our control due to wildly fluctuating material prices

Pricing in USD, taxes and fees to be paid at time of tag & title if applicable

Price Includes PDI, delivery and training

Payment Terms: Due upon receipt

Purchase order required

Delivery: To be confirmed at time of order

Quotation valid for 7 days

Stock# U030812

Clean Air. Clean Water. Clean Streets.

**LETTER OF AGREEMENT FOR
AIRPORT SAFETY/MAINTENANCE PROJECTS**

THIS AGREEMENT is made, this 3rd day of OCTOBER, 2023 by the
(Airport Owner) County of Wayne
as owner and operator (hereinafter referred to as "Sponsor") of the
(Official Airport Name) Wayne Executive Jetport
(hereinafter referred to as "Airport,") and the North Carolina Department of Transportation (Division
of Aviation), an agency of the State of North Carolina (hereinafter referred to as "Department"), for
the purposes of future and as-yet unspecified safety or maintenance services to be performed by said
Department in accordance with the terms, conditions and provisions hereof.

WITNESSETH

WHEREAS, the Sponsor is primarily responsible for maintaining the facilities of the Airport to protect and preserve the safety of flight operations at, from and to the Airport; and

WHEREAS, and the Department shares the interest of the Sponsor in the prompt and adequate maintenance and repair of the paved surfaces of the Airport which support aircraft movements on the Airport; and

WHEREAS, the Sponsor and the Department may, from time to time, mutually determine that certain paved surfaces and adjacent areas on the airport have aged and deteriorated and/or that other infrastructure is in need of maintenance or repair, and that the Sponsor could benefit from the assistance of the Department in accomplishing such maintenance and repair; and

WHEREAS, pursuant to Article 7 of North Carolina General Statute 63, the Department is authorized to undertake safety improvements of aircraft movement areas, on publicly owned and operated airports in North Carolina; and

WHEREAS, the Sponsor and the Department agree that upon the request by the sponsor and the acceptance by the Department, certain needed improvements at the Airport may be undertaken by the Department in conformance with the provision of North Carolina General Statute 63; and

WHEREAS, the Department requires a Commitment and Release of Liability statement to be on file in its offices, in order to be able provide and oversee such maintenance and repair at the Airport;

NOW THEREFORE, the Sponsor does hereby commit to the following measures:

1. This Letter of Agreement supersedes all prior agreements between the Department and Sponsor with respect to the subject matter of this Letter of Agreement.

2. Upon the Sponsor's approval, the Department, using NCDOT state forces and/or private contractor(s) under a Purchase Order Contract, may perform the requested maintenance and repair to the Airport. This work may include, but not be limited to; Joint and Crack Sealing, Pavement Repairs and Patching, Surface Treatments, Maintenance Overlays, Electrical, Grading, Drainage Improvements, Pavement Markings, or other infrastructure maintenance.
3. The Sponsor will receive notification from the Department of the Department's willingness to perform (or pay to have performed) any item or items of work approved by the Sponsor and a proposed schedule for performing the work and the force or contractor the Department proposes to perform the work.
4. If the schedule and the force or contractor proposed by the Department for performing the work is acceptable to the Sponsor, the Sponsor shall authorize the Department (or its contractors) to enter upon the property of the Airport during the scheduled time to perform the work.
5. If the schedule and the force or contractor proposed by the Department for performing the work is unacceptable to the Sponsor, the Sponsor shall inform the Department of the reasons for its objections and the Sponsor and the Department will engage in dialogue with the intent of determining if an alternative schedule or force or contractor is acceptable to both the Sponsor and the Department. If the Sponsor and the Department cannot reach agreement through the process described in paragraph 4 then the Department will withdraw its offer to perform the requested work.
6. The Sponsor hereby represents to the Department that the title to the pavement and adjacent areas of the Airport is vested in the Sponsor.
7. The Sponsor agrees to provide a duly authorized representative who will be present and/or available at all times the work is in progress (including nights and weekends, as applicable) to monitor project operations and assist the Department's representative.
8. The Sponsor agrees to provide a duly qualified operator who will monitor the airport's UNICOM radio transceiver at all times the work is in progress (including nights and weekends, as applicable) and will issue airport advisories as necessary on the UNICOM radio transceiver.
9. The Sponsor agrees, when needed, to formally close any runway, taxiway, or apron at all times when the work is in progress on that pavement area and to take appropriate steps to prohibit use of such areas by aircraft and/or ground vehicles while the work is being performed or the subject pavement areas are in an unsafe or uncured condition due to the conduct of the work.
10. The Sponsor agrees to issue and keep current the necessary Notices to Airmen (NOTAMS) through the Federal Aviation Administration (FAA) until all work is completed and the Department's representative notifies the Sponsor's representative that the affected areas may be returned to service.

11. The Sponsor agrees that the Department may, in its sole discretion, determine the design, scope of work, materials to be used, and methods of accomplishing the authorized work. The Department covenants that any and all such work as it performs or has performed at the Airport pursuant to this agreement will meet or exceed all relevant State of North Carolina and Federal Aviation Administration specifications for the type of pavement concerned and the type of maintenance or repair that is being performed.

12. To the maximum extent allowed by law, the Sponsor shall indemnify and hold harmless the Department and its officers and employees from all suits, actions, or claims of any character because of injury or damage received or sustained by any person, persons, or property resulting from work performed under this Commitment. This indemnity does not extend to causes of action arising from the negligence of the Department, its officers and employees or any of Department's contractors who performed the work.

13. Should Sponsor fail to comply with any material duty required of it under this Agreement the Department shall give written notice to the sponsor of the details of its non-compliance and provide a reasonable period in which the Sponsor can cure its non-compliance. Upon the expiration of said cure period without the Sponsor having come into compliance, the Sponsor agrees that, at its sole and unlimited discretion, the Department shall have the right to immediately stop all work being performed at the Airport and release the work area to the jurisdiction of the Sponsor.

14. The Sponsor understands that for the Department to perform maintenance or safety services, the Airport and Sponsor must be in good standing on all State and Federal Grant Requirements and Assurances before any project shall be performed under this Commitment.

15. Subject to the provisions of paragraph 13 above, this Commitment will expire on December 31, 2028. Subject to the provisions of paragraph 13 above, this Commitment may be terminated by either the Department or the Sponsor by providing written notification of termination. The effective date of termination pursuant to this paragraph shall be the date of receipt of the notice of written termination by the non-terminating party.

NC Division of Aviation

BY: _____

DATE: _____

Becca Gallas, P.E.
Aviation Director

WITNESS WHEREOF, the Sponsor has executed this Commitment on the date first written on Page 1 of this document.

FOR THE LOCAL AIRPORT SPONSORING AGENCY

Signed: _____

Title: _____

Official Sponsor: _____

Attest: _____


Barbara Aycock

Chairwoman, Board of Commissioners

County of Wayne

Carol Bowden

SEAL OF THE SPONSOR



A digital copy of this LETTER OF AGREEMENT in adopted form should be emailed to the Statewide Program Manager and your Airport Project Manager. General telephone number is: (919) 814-0550.

Statewide Program Manager – Raj Kondapalli, P.E. rkondapalli@ncdot.gov
Airport Project Manager (NW) – Caleb Whitby, P.E. cwhitby@ncdot.gov
Airport Project Manager (NE) – Robin Peele, P.E. rdpeelee@ncdot.gov
Airport Project Manager (SW) – Emily Ferreira. eafferreira@ncdot.gov
Airport Project Manager (SE) – Tommy Mann, P.E. tmann@ncdot.gov

Resolution of the Sponsor

A motion was made by (Name and title) _____
and seconded by (Name and Title) _____
for the adoption of the following resolution, upon being put to a vote it was duly adopted:

THAT WHEREAS (Airport Owner) _____
(hereinafter referred to as "Sponsor") the North Carolina Department of Transportation (hereinafter
referred to as "Department") requires a Commitment and Release of Liability statement to be on file,
in order to provide and oversee maintenance and safety improvements on the operational surfaces of
the (Official Airport Name) _____ ;
in accordance with the provisions of North Carolina General Statute 63.

NOW THEREFORE, BE IT AND IS HEREBY RESOLVED, that the
(Title of Airport Official) _____
of the Sponsor be and is hereby authorized and empowered to enter into a Commitment and Release
of Liability with the Department, thereby binding the Sponsor to fulfillment of its obligation as
incurred under this resolution and its commitment to the Department.

I, (Name and title of Public Notary) _____ ,
of the (Name of Sponsoring Agency) _____ ,
do hereby certify that the above is a true and correct copy of the minutes of
(Name of Authorizing Board of the Sponsoring Agency) _____ ,
held on (Date of Meeting) _____ .

WITNESS my hand and the official seal of the Sponsor.

This the day of (month, day, year) _____ .

Signed: _____

NOTARY SEAL

Journal Proof Report



Journal Number: 598 Year: 2024 Period: 3 Description: Reference 1: Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104920-599000	Contingency				\$2200.00
BUA	1104920-558000	Capital Out-Bldg Struct & Impr			\$2200.00	
Journal 2024/3/598				Total	\$2200.00	\$2200.00

Journal Proof Report



Journal Number: 599 Year: 2024 Period: 3

Description:

Reference 1: Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104310-526200	Non-Capital Computer Equipment			\$373.00	
BUA	1104310-526100	Office Supplies-NonCaptl FF&E				\$373.00
Journal 2024/3/599				Total	\$373.00	\$373.00

Journal Proof Report



Journal Number: 600 Year: 2024 Period: 3

Description:

Reference 1: Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104260-535100	Repairs & Maint-Buildings				\$577.52
BUA	1104260-535300	Repairs & Maint-Vehicles			\$577.52	
Journal 2024/3/600				Total	\$577.52	\$577.52

Journal Proof Report



Journal Number: 601 Year: 2024 Period: 3

Description: finance

Reference 1: 112 Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104260-558000	Capital Out-Bldg Struct & Impr			\$390888.00	
BUA	1100000-399100	Fund Balance Appropriated				\$390888.00
			Journal 2024/3/601	Total	\$390888.00	\$390888.00

Journal Proof Report



Journal Number: 602 Year: 2024 Period: 3

Description: Sheriff

Reference 1: 102 Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104310-519000	Professional Services			\$7000.00	
BUA	1100000-399100	Fund Balance Appropriated				\$7000.00
Journal 2024/3/602				Total	\$7000.00	\$7000.00

Journal Proof Report



Journal Number: 603 Year: 2024 Period: 3

Description: Sheriff

Reference 1: 109 Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104310-535300	Repairs & Maint-Vehicles			\$1306.84	
BUA	1100000-399100	Fund Balance Appropriated				\$1306.84
Journal 2024/3/603				Total	\$1306.84	\$1306.84

Journal Proof Report



Journal Number: 604 Year: 2024 Period: 3

Description: Sheriff

Reference 1: 110 Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104310-535300	Repairs & Maint-Vehicles			\$5534.05	
BUA	1100000-399100	Fund Balance Appropriated				\$5534.05
Journal 2024/3/604				Total	\$5534.05	\$5534.05

Journal Proof Report



Journal Number: 605 Year: 2024 Period: 3

Description:

Reference 1: Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104310-523100-K-9	Program Supplies			\$1000.00	
BUA	1104310-523100-Shrff	Program Supplies				\$1000.00
Journal 2024/3/605				Total	\$1000.00	\$1000.00

Journal Proof Report



Journal Number: 606 Year: 2024 Period: 3

Description:

Reference 1: Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
BUA	1104325-526000	Office Supplies			\$1185.00	
BUA	1104325-539500	Training				\$1185.00
Journal 2024/3/606				Total	\$1185.00	\$1185.00

Journal Proof Report



Journal Number: 607 Year: 2024 Period: 3

Description: Finance

Reference 1: 104 Reference 2: Reference 3:

Source	Account	Account Description	Line Description	OB	Debit	Credit
Formatted Project String						
BUA	2334340-549700	Direct Service Allocations			\$899.09	
	E-FD -ARFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$830.29	
	E-FD -BEFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$2.89	
	E-FD -BHFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$606.33	
	E-FD -DUFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$949.86	
	E-FD -ELFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$265.84	
	E-FD -GRFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$676.02	
	E-FD -ISFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$147.09	
	E-FD -JCFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$413.45	
	E-FD -LRFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$1185.44	
	E-FD -MMFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$8.63	
	E-FD -MHFD -Other -DirServ					
BUA	2334340-549700	Direct Service Allocations			\$369.01	

Journal Proof Report



Journal Number: 607 Year: 2024 Period: 3

Description: Finance

Reference 1: 104

Reference 2:

Reference 3:

	E-FD	-NAFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$239.41
	E-FD	-NEWF	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$347.17
	E-FD	-OAFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$388.06
	E-FD	-PAFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$501.83
	E-FD	-PGFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$475.66
	E-FD	-PWFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$112.24
	E-FD	-PRFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$739.19
	E-FD	-ROFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$640.68
	E-FD	-SAFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$70.48
	E-FD	-SSFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$135.06
	E-FD	-SCFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$219.72
	E-FD	-THFD	-Other	-DirServ		
BUA	2334340-549700				Direct Service Allocations	\$291.45
	E-FD	-WAFD	-Other	-DirServ		

Journal Proof Report



Journal Number: 607 Year: 2024 Period: 3		Description: Finance	Reference 1: 104 Reference 2: Reference 3:	
BUA	2334340-399100	Fund Balance Appropriated		\$10514.89
			Journal 2024/3/607	Total \$10514.89 \$10514.89